

Starting Entresto®

This is an instruction sheet for starting Entresto®. For more information about this medication and its side effects, please refer to our education sheet.

Stop taking _____

on _____
day, date and time

Start taking Entresto®

on _____
day, date and time

Take it two times a day according to the doctor's instructions.



***** *It is important to monitor your blood pressure and pulse closely.* If you feel unwell or have very low blood pressure, call the Heart Function Clinic at

telephone

Go for a **blood test** on _____
day and date

Your **next visit** will be in 2 to 4 weeks. We will contact you with an appointment time. At this appointment we will talk about the next steps.

***** **Remember** to tell your family doctor, your pharmacist, and other doctors that you cannot take any "ACE Inhibitor" or "ARB" medications because you are taking Entresto®.

Put your _____ in a safe place.

You must not take it while you are taking Entresto®.

In 1 to 3 months you will be taking the full dose of Entresto®. Once you are taking the full dose of Entresto® and the cardiologist or nurse practitioner feels it is working for you, you should not keep your _____. Take it back to your pharmacy. They will dispose of it safely.

The information in this document is intended solely for the person to whom it was given by the health care team.

This material has been
reviewed and approved by
patients, families and staff.



For more copies, go online: <http://phc.eduhealth.ca>
or email: phem@providencehealth.bc.ca
and quote catalogue no. **FD.222.St28.PHC**

© Providence Health Care
www.providencehealth.bc.ca

The information in this document is intended solely for the person to whom it was given by the health care team.